

TeX Reference Card

(for Plain TeX)

Greek Letters

α	\alpha	ι	\iotaota	ϱ	\varrho
β	\beta	κ	\kappaappa	σ	\sigmaigma
γ	\gamma	λ	\lambdaambda	ς	\varsigmaigma
δ	\delta	μ	\mu	τ	\tauau
ϵ	\epsilon	ν	\nu	υ	\upsilonpsilon
ε	\varepsilon	ξ	\xi	ϕ	\phi
ζ	\zeta	\o	\o	φ	\varphif
η	\eta	π	\pi	χ	\chi
θ	\theta	ϖ	\varpi	ψ	\psi
ϑ	\vartheta	ρ	\rho	ω	\omega
Γ	\Gamma	Ξ	\Xi	Φ	\Phi
Δ	\Delta	Π	\Pi	Ψ	\Psi
Θ	\Theta	Σ	\Sigma	Ω	\Omega
Λ	\Lambda	Υ	\Upsilon		

Symbols of Type Ord

\aleph	'	\prime	\forall	\forallall
\hbar	\emptyset	\emptyset	\exists	\existsists
\imath	∇	\nabla	\neg	\neg or \lnot
\jmath	\surd	\surd	\flat	\flat
ℓ	\top	\top	\natural	\natural
\wp	\bot	\bot	\sharp	\sharp
\Re	\mid	\mid	\clubsuit	\clubsuit
\Im	\angle	\angle	\diamondsuit	\diamondsuit
∂	\triangle	\triangle	\heartsuit	\heartsuit
∞	\backslash	\backslash	\spadesuit	\spadesuit

Large Operators

\sum	\sum	\bigcap	\bigcap	\bigodot	\bigodot
\prod	\prod	\bigcup	\bigcup	\bigotimes	\bigotimes
\coprod	\coprod	\bigsqcup	\bigsqcup	\bigoplus	\bigoplus
\int	\int	\bigvee	\bigvee	\biguplus	\biguplus
\oint	\oint	\bigwedge	\bigwedge		

Binary Operations

\pm	\cap	\vee	\vee or \lor	\langle	\langle
\mp	\cup	\wedge	\wedge or \land	\rangle	\rangle
\setminus	\uplus	\oplus	\oplus	\lceil	\lceil
\cdot	\sqcap	\ominus	\ominus	\lfloor	\lfloor
\times	\sqcup	\otimes	\otimes	$\lceil\!\lceil$	\lceil\!\lceil
\ast	\triangleleft	\oslash	\oslash	$\rfloor\!\rfloor$	\rfloor\!\rfloor
\star	\triangleright	\odot	\odot	\lrcorner	\lrcorner
\diamond	\wr	\dagger	\dagger	$\langle\!\langle$	\langle\!\langle
\circ	\bigcirc	\ddagger	\ddagger	$\rangle\!\rangle$	\rangle\!\rangle
\bullet	\bigtriangleup	\bigtriangledown	\bigtriangledown	$\rangle\!\langle$	\rangle\!\langle
\div	\bigtriangledown			$\langle\!\rangle$	\langle\!\rangle

Page Layout

$\hsize=$ (dimen)	set width of page
$\vsize=$ (dimen)	set height of page
$\displaywidth=$ (dimen)	set width of math displays
$\hoffset=(dimen)$	move page horizontally
$\voffset=(dimen)$	move page vertically

Relations

\leq	\leq or \le	\geq	\geq or \ge	\equiv	\equiv
\prec	\prec	\succ	\succ	\sim	\sim
\preceq	\preceq	\succeq	\succeq	\simeq	\simeq
\ll	\ll	\gg	\gg	\asymp	\asymp
\subset	\subset	\supset	\supset	\approx	\approx
\subseteq	\subseteq	\supseteq	\supseteq	\cong	\cong
\sqsubset	\sqsubset	\sqsupset	\sqsupset	\bowtie	\bowtie
\sqsubseteq	\sqsubseteq	\sqsupseteq	\sqsupseteq	\models	\models
$\sqsubset\sqsubseteq$	\sqsubset\sqsubseteq	$\sqsupset\sqsupset$	\sqsupset\sqsupset	\models	\models
\in	\in	\notin	\notin	\ni	\ni
\vdash	\vdash	\dashv	\dashv	\owns	\owns
$($	($)$)	\mid	\mid
\smile	\smile	\frown	\frown	\doteq	\doteq
\parallel	\parallel	\parallel	\parallel	\perp	\perp
\propto	\propto				

Most relations can be negated by prefixing them with \not.

\neq \not\equiv \notin \notin \neq \ne

Arrows

\leftarrow	\leftarrow or \gets	\longleftarrow	\longleftarrow
\Leftarrow	\Leftarrow	\Longleftarrow	\Longleftarrow
\rightarrow	\rightarrow or \to	\longrightarrow	\longrightarrow
\Rightarrow	\Rightarrow	\Longrightarrow	\Longrightarrow
\leftarrowarrow	\leftarrowarrow	\longleftarrowarrow	\longleftarrowarrow
\Leftrightarrow	\Leftrightarrow	\Longleftrightarrow	\Longleftrightarrow
\mapsto	\mapsto	\longmapsto	\longmapsto
\hookleftarrow	\hookleftarrow	\hookrightarrow	\hookrightarrow
\uparrow	\uparrow	\uparrowarrow	\uparrowarrow
\downarrow	\downarrow	\downarrowarrow	\downarrowarrow
\updownarrow	\updownarrow	\updownarrowarrow	\updownarrowarrow
\nearrow	\nearrow	\searrow	\searrow
\nwarrow	\nwarrow	\swarrow	\swarrow

The \buildrel macro puts one symbol over another. The format is \buildrel{^{symbol}}{_{relation}}.

$\overset{\alpha\beta}{\longrightarrow}$ \buildrel{\alpha\beta}{\longrightarrow} $f(x) \stackrel{\text{def}}{=} x+1$ f(x); {\buildrel{\rm def}{\overline{\text{over}}} } ;x+1

Delimiters

$[$	\lbrack or [{	\lbrace or \{	\langle	\langle
$]$	\rbrack or]	}	\rbrace or \}	\rangle	\rangle
$ $	\vert or	\lfloor	\lfloor	\lceil	\lceil
\mid	\mid	\rfloor	\rfloor	\rceil	\rceil
$\{!$	\{!	$\langle\langle$	\langle\langle	$\rangle\rangle$	\rangle\rangle
$\}]!$	\}]!	$\rangle\rangle$	\rangle\rangle	$\langle\rangle$	\langle\rangle

Left and right delimiters will be enlarged if they are prefixed with \left or \right. Each \left must have a matching \right, one of which may be an empty delimiter (\left. or \right.). To specify a particular size, use the following:

\bigl, \biggr \Bigl, \Biggr \biggl, \biggr \biggl,

You can also say \bigm for a large delimiter in the middle of a formula, or just \big for one that acts as an ordinary symbol.

Every Time Insertions

\everypar	insert whenever a paragraph begins
\everymath	insert whenever math in text begins
\everydisplay	insert whenever displayed math begins
\everycr	insert after every \cr

Accents

Type	Example	In Math	In Text
hat	\widehat{a}	\hat	\^
expanding hat	\widetilde{abc}	\widetilde	none
check	\check{a}	\check	\v`
tilde	\tilde{a}	\tilde	\v~
expanding tilde	\widetilde{abc}	\widetilde	none
acute	\acute{a}	\acute	\v'
grave	\grave{a}	\grave	\v`
dot	\dot{a}	\dot	\v.
double dot	\ddot{a}	\ddot	\v"~
breve	\breve{a}	\breve	\v~
bar	\bar{a}	\bar	\v=
vector	\vec{a}	\vec	none

The \skew(number) command shifts accents for proper positioning, the larger the (number), the more right the shift. Compare

\hat{A} \hat{A}, \skew6\hat{A} \hat{A}.

Elementary Math Control Sequences

overline a formula	$\overline{x+y}$	\overline{x+y}
underline a formula	$\underline{x+y}$	\underline{x+y}
square root	$\sqrt{x+2}$	\sqrt{x+2}
higher order roots	$\sqrt[x+2]{y}$	\root n \of{x+2}
fraction	$\frac{n+1}{n+1}$	{n+1}\over 3
fraction, no line	$\frac{3}{n+1}$	{n+1}\atop 3
binomial coeff.	$\binom{n+1}{3}$	{n+1}\choose 3
braced fraction	$\left\{ \frac{n+1}{3} \right\}$	{n+1}\brace 3
bracketed fraction	$\left[\frac{n+1}{3} \right]$	{n+1}\brack 3

The following specify a style for typesetting formulas.
\displaystyle \textstyle \scriptstyle \scriptscriptstyle
\mathop{marker} \limsup \liminf \min \max \lim \ln \Pr \sup
\arcsin \csc \deg \gcd \lg \ln \Pr \sup
\arctan \cot \det \hom \lim \log \sec \tan
\arg \coth \dim \inf \liminf \max \sin \tanh
a \pmod{m} a \mod m mod with parentheses
a \bmod m a mod m mod without parentheses
The following examples use \mathop to create function names.
Example Command Plain TeX Definition
lim \lim_{x\rightarrow 2} \def\lim{\lim{\rm lim}}{x\rightarrow 2}
log_2 \log_{\rm 2} \def\log{\log{\rm log}}{\rm log}\nolimits

Footnotes, Insertions, and Underlines

\footnote(marker){text}	footnote
\topinsert(vmode material)\endinsert	insert at top of page
\pageinsert(vmode material)\endinsert	insert on full page
\midinsert(vmode material)\endinsert	insert middle of page
\underbar{text}	underline text

Useful Parameters and Conversions

\day, \month, \year the current day, month, year
\jobname name of current job
\romannumeral<number> convert to lower case roman nums.
\uppercase{<token list>} convert to upper case
\lowercase{<token list>} convert to lower case

Fills, Leaders and Ellipses

Text or Math: ... \dots
Math: ... \ldots \cdots \vdots \ddots

The following fill space with the indicated item.

\hrulefill \rightarrowfill \leftarrowfill \dotfill

The general format for constructing leaders is

\leaders{box or rule}\hskip{glue} repeat box or rule
\leaders{box or rule}\hfill fill space with box or rule

TeX Fonts and Magnification

\rm Roman \bf Bold \tt Typewriter
\sl Slant \it Italic \v/ "italic correction"
\magnification=<number> scale document by $n/1000$
\magstep<number> scaling factor of $1.2^n \times 1000$
\magstephalf scaling factor of $\sqrt{1.2}$
\font{FN}{fontname} load a font, naming it \FN
\font{FN}{fontname} at <dimen> load font scaled to dimension
\font{FN}{fontname} scaled <number> load font scaled by $n/1000$
true <dimen> dimension with no scaling

Alignment Displays

\settabs{number}\columns set equally spaced tabs
\settabs{+<sample line>}\cr set tabs as per sample line
\+{text₁}&{text₂}&\cdots\cr tabbed text to be typeset
\halign horizontal alignment
\halign to<dimen> horizontal alignment
\openup<dimen> add space between lines
\noalign{<vmode material>} insert material after any \cr
\tabskip=<glue> set glue at tab stops
\omit omit the template for a column
\span span two columns
\multispan<number> span several columns
\hidewidth ignore the width of an entry
\crrc insert \cr if one is not present

Boxes

\hbox to<dimen> hbox of given dimension
\vbox to<dimen> vbox, bottom justified
\vtop to<dimen> vbox, top justified
\vcenter to<dimen> vbox, center justified (math only)
\rlap right overlap material
\llap left overlap material

Overfull Boxes

\hfuzz allowable excess in hboxes
\vfuzz allowable excess in vboxes
\overfullrule width of overfull box marker. To eliminate entirely, set \overfullrule=0pt.

Indentation and Itemized Lists

\indent indent
\noindent do not indent
\parindent=<dimen> set indentation of paragraphs
\displayindent=<dimen> set indentation of math displays
\leftskip=<dimen> skip space on left
\rightskip=<dimen> skip space on right
\narrower make paragraph narrower
\item{<label>} singly indented itemized list
\itemitem{<label>} doubly indented itemized list
\hangindent=<dimen> hanging indentation for paragraph
\hangafter=<number> start hanging indent after line n .
If $n < 0$, indent first $|n|$ lines.
\parshape=<number> general paragraph shaping macro

Headers, Footers, and Page Numbers

\nopagenumbers turn off page numbering
\pageno current page number. To get roman nums,
set \pageno=<negative number>
\folio current page number, roman num if < 0
\footline material to put at foot of page
\headline material to put at top of page. To leave
space, set \voffset=2\baselineskip, make
room with \advance\vsize by \voffset.

Macro Definitions

\def{cs}{<replacement text>} define the macro \cs
\def{cs#1\cdots#n}{<repl. text>} macro with parameters
\let{cs}{<token>} give \cs token's current meaning
Advanced Macro Definition Commands
\long\def macro whose args may include \par
\outer\def macro not allowed inside definitions
\global\def or \gdef definition that transcends grouping
\edef expand while defining macro
\xdef or \global\edef global version of \edef
\noexpand{<token>} do not expand token
\expandafter{<token>} expand item after token first
\futurelet{cs}{tok₁}{tok₂} equals \let\cs{<tok₂>}{<tok₁>}{<tok₂>}
\csname... \endcsname create a control sequence name
\string{cs} list characters in name, \ c s
\string{number} list of characters in number
\the{internal quantity} list of tokens giving value of quantity

Conditionals

The general format of a conditional is

\if{<condition>}{<true text>}\else{<false text>}\fi
\ifnum{num₁}{<relation>}{num₂} compare two integers
\ifdim{dimen₁}{<relation>}{dimen₂} compare two dimensions
\ifodd{num} test for an odd integer
\ifmmode test for math mode
\if{token₁}{<token₂} test if character codes agree
\ifdim{token₁}{<token₂} compare two dimensions
\ifeof{number} test if tokens agree
\ifeof{number} test for end of file
\iftrue, \iffalse always true, always false
\ifcase{number}{text₀}\or{text₁}\or\cdots\or{text_n}\else{text}\fi choose text by <number>
\loop \alpha \if... \beta \repeat loop $\alpha\beta\alpha\cdots\alpha$ until \if is false
\newif{ifblob} create a new conditional called \ifblob
\blobtrue, \blobfalse set conditional \ifblob true, false

Dimensions, Spacing, and Glue

Dimensions are specified as <number><unit of measure>. Glue is specified as <dimen> plus<dimen> minus<dimen>.

point	pt	pica	pc	inch	in	centimeter	cm
m width	em	x height	ex	math unit	mu	millimeter	mm
1 pc = 12 pt				1 in = 72.72 pt	2.54 cm = 1 in	18 mu = 1 em	

Horizontal Spacing: \quad (skip 1em) \quad (skip 0.5em)

Horizontal Spacing (Text): \thinspace \enspace \enskip \enskip

\hskip{glue} \hfil \hfill \hfilneg

Horizontal Spacing (Math): thin space \, , medium space \>, thick space \; ; neg. thin space \! , \mskip{glue}

Vertical Spacing: \vskip{glue} \vfil \vfill

\strut box w/ ht and depth of "", zero width

\phantom{<text>} invisible box with dim of <text>

\vphantom{<text>} box w/ ht & depth of <text>, zero width

\phantom{<text>} box w/ width of <text>, zero ht & depth

\smash{<text>} typeset <text>, set ht & depth to zero

\raise{dimen}\hbox{<text>} raise box up

\lower{dimen}\hbox{<text>} lower box down

\moveleft{dimen}\vbox{<text>} move box left

\overright{dimen}\vbox{<text>} move box right

Skip Space Between Lines: \smallskip \medskip \bigskip

encourage a break \smallbreak \medbreak \bigbreak

break if no room \filbreak

Set Line Spacing: \baselineskip = <glue>

single space \baselineskip = 12pt

1 1/2 space \baselineskip = 18pt

double space \baselineskip = 24pt

Increase Line Spacing \openup{dimen}

use \jot's \jot = 3pt

Allow Unjustified Lines \raggedright

Allow Unjustified Pages \raggedbottom

Braces and Matrices

\matrix rectangular array of entries

\pmatrix matrix with parentheses

\bordermatrix matrix with labels on top and left

\overbrace overbrace, may be superscripted

\underbrace underbrace, may be subscripted

For small matrices in text, use the following constructions:

{a,b \choose c,d} \left(\begin{array}{cc} a & b \\ c & d \end{array}\right)

\left(\begin{array}{cc} a & b \\ c & d \end{array} \right)

Displayed Equations \displaystyle

equation number at right

equation number at left

display several aligned equations

display aligned equations numbered at right

display aligned equations numbered at left

display several equations, centered

case by case definitions

to insert space between lines in displays,

use \noalign{\vskip{glue}} after any \cr

add space between all lines in a display

Copyright © 1998 J.H. Silverman, November 1998 v1.3

Math. Dept., Brown Univ., Providence, RI 02912 USA

\TeX is a trademark of the American Mathematical Society

Permission is granted to make and distribute copies of this card provided the copyright notice and this permission notice are preserved on all copies.

Published by Ford & Mason Ltd, GL19 3JB, UK. Further copies of this card can be ordered through our web site: <http://www.refcards.com>.